Organic additives for hydrotreating catalysts: a review of main families and action mechanisms

Laetitia Oliviero, Françoise Maugé, P. Afanasiev, Camila Pedraza Parra, C. Geantet

► To cite this version:

Laetitia Oliviero, Françoise Maugé, P. Afanasiev, Camila Pedraza Parra, C. Geantet. Organic additives for hydrotreating catalysts: a review of main families and action mechanisms. *Catalysis Today*, 2021, 10.1016/j.cattod.2020.09.008 . hal-03082287

HAL Id: hal-03082287

<https://hal.science/hal-03082287>

Submitted on 18 Dec 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Organic additives for hydrotreating catalysts: a review of main families and action mechanisms.

Laetitia Oliviero ^{a,*}, Francoise Maugé ^a, Pavel Afanasiev ^b, Camila Pedraza-Parra ^{a,b}, Christophe Geantet ^{b,*}.

^a Normandie Univ., ENSICAEN, UNICAEN, CNRS, LCS, 14000 Caen, France

^b Univ Lyon, Université Claude Bernard Lyon 1, CNRS, IRCELYON, F-69626, Villeurbanne, France.

Corresponding authors: laetitia.oliviero@ensicaen.fr, Christophe.geantet@ircelyon.univ-lyon1.fr

Keywords: HDS and HDN catalysts; sulfides; chelating agents, thio and organic additives, catalyst preparation, regeneration.

Abstract

Ever more active hydrotreating (HDT) catalysts should be developed to meet the growing demand for cleaner fuels. With each novel generation of HDT catalysts the requirements of performance, stability and possibility of regeneration become more sophisticated. Versatile types of organic molecules are applied to improve the HDT catalysts, and to activate regenerated catalysts. The additives improve the dispersion of the active phase, the degree of promotion and modify the interactions with the support. Complex chemical and physical processes are involved in the mechanisms of action, which are different from one family of additives to another. In this review we summarize recent advances on the main types of additives, the current state of understanding of the mechanisms of their action as well as challenges and perspectives in developing novel additives for highly performing novel generations of HDT catalysts in a sustainable way.

1. Introduction

Whatever the scenario and pace of the future energy transition, fossil fuels in general and oil in particular will stay the main energy sources for several forthcoming decades. Hydrotreating

(HDT) catalysts used to upgrade oil will remain therefore one of the most important families of catalysts on the market, both by volume and by price.

Activation of HDT catalysts by means of sulfidation of oxide precursors is an essential step in the preparation of the active species of supported Co(Ni)-Mo(W)S₂ sulfides. This step must be finely tuned as multiple interactions between the components in the oxide pre-catalyst may lead to the loss of active metals in the forms of individual low active sulfides (e.g. Co₉S₈) or species strongly interacting with the oxide support (e.g. CoAl₂O₄). Optimization of HDT catalysts can be achieved by means of introducing organic additives, often glycol-type compounds or chelating agents. These agents influence the kinetics of chemical processes during the activation step and positively impact the properties of the resulting sulfide. Comprehension of the role of the organic additives becomes necessary in particular with respect of the last generation of HDT catalysts, more active but more sensitive to the activation and regeneration conditions.

Organic additives interaction with HDT catalysts has been studied since the 80's and the first industrial application concerned S- containing molecules. They were used to introduce on the catalysts a sulfidation compound which enables activation of the catalyst inside the refinery unit without requiring any further sulfur addition. So-called SULFICAT process used alkylpolysulfides for this purpose [1]. At the same period, non S-containing molecules such as chelating agents were investigated at the laboratory scale and patented as promoters introduced during the preparation of the catalyst in its oxidic form. Whatever the nature of molecules, organic additives can be divided in two families: the chelating additives allowing complexation with metallic ions and the non-chelating agents. But due to the particular role of sulfur in the genesis of sulfide catalysts, it seems preferable to also distinguish the organic compounds into two types: S-containing and non S-containing organic additives. More complex molecules such as saccharose or self- polymerizing dopamine were also recently investigated. Patents and academic studies evidence the so called "booster effect" of organic additives and the enhancement of catalytic activities may originate from many effects, some of them being clearly demonstrated and others still needing a better understanding. This article will attempt to review the origin and impacts of the various types of organic additives.

2. Sulfur-containing additives

Addition of sulfur containing compounds, such as thioglycolic acid (TGA, Figure 1.a) and “alkylpolysulfides”, in particular ditiononyl pentasulfide (TNPS, Figure 1 b) have been used for ex situ sulfidation in order to obtain presulfided hydrodesulfurization (HDS) catalysts [2–4].

The usual activation procedures include impregnation of sulfur-containing molecules on an oxidic phase catalyst followed by hydrogen treatment at 100–350 °C, usually under medium high pressure, 20-40 bar.

Figure 1: Typical sulfur-containing additives to HDS catalysts:

a) thioglycolic acid and b) ditiononyl pentasulfide

If an analogy with the conventional additives described later on is relevant, thioglycolic acid corresponds to citric acid and other chelating agents such as Ethylene diamino tetra acetic acid (EDTA) and nitrilotriacetic acid (NTA). Indeed, TGA is acidic; it contains multiple functionalities and demonstrates formation of stable complexes with transition metals [5]. On the other side, long hydrophobic chains of TNPS might be compared to the long and lesser complexing chains of polyglycols. The step forward in the use of sulfur-bearing agents is in their double functionality, combining the known effects of non-sulfur-bearing organic additives (*vide infra*) with the sulfiding action power i.e. “two in one” action principle. Except the role in the O-S exchange during the heating treatment, the general mechanisms of action of sulfur-bearing additives seem to be similar to those of the non-sulfur additives. They might include chemical, thermal and morphological effects, in versatile combinations. As any organics they require an energy input to be decomposed at moderate temperatures and therefore they are able to absorb excessive heat evolved in the sulfidation process. That would prevent excessive sintering of the active phase during the activation process (thermal effect). The formation of TGA complexes with transition metals if somehow lesser studied than in the case of EDTA or NTA, is still well documented (chemical effect). Finally, the S-bearing molecules decompose

leaving residual carbon. The favorable role of carbon present in the active sulfide phase for the improvement of HDS properties of catalysts generated from organosulfur precursors was shown in several works [2]·[3]·[6]. The inclusion of C in the active phase in HDS was claimed by Chianelli *et al.*[7], who asserted that the carbon atoms replace sulfur on the sulfide edges. Even if this last statement has not been widely accepted by the community, the weaker statement is obviously true about the possible beneficial role of carbon on the properties of HDS systems due to stabilization of highly dispersed sulfide (morphological action). These mechanisms of action are not mutually excluding and might be manifested simultaneously, in a concerted way.

2.1. Dialkyl polysulfides

Industrial application of alkyl polysulfides preceded the efforts of academic understanding of their action. SULFICAT® process, the EURECAT patented off-site presulfiding process, has been developed in 1980 and tested in laboratories and pilot plants around the world with excellent results. Both fresh and regenerated catalyst have been presulfided and utilized in liquid and gas phase start-up procedures. The advantages as claimed by the inventors are the reduced time of start-up (from days to hours), minimized out of specification product and elimination of dangerous sulfur agents and their handling [8].

An oxidic catalyst pre-sulfided by the SULFICAT® process using alkylpolysulfide was studied by Labruyere *et al.* [3,4]. Comparison with the ex-situ sulfidation by H₂S showed that the SULFICAT® process affords a higher HDS activity, related to higher dispersion of the sulfided active phase. XPS revealed strong interaction of the alkylpolysulfide with the catalyst that leads to a partial reduction of molybdenum ions after the drying step. Under hydrogen, the polysulfide decomposed at 160–220 °C converting the initial oxide Mo(VI) species into MoS₂. The sulfidation state of the active phase and its dispersion increase with the hydrogen pressure [3]·[4].

The organic sulfur compound bis-(1,1,3,3-tetramethylbutyl)-polysulfide was investigated as a novel sulfiding agent by Kabe *et al.*[9]·[10]. A commercial CoMo/Al₂O₃ catalyst was sulfided with different agents and the activity was compared in HDS of DBT. The catalyst presulfided using the polysulfide showed the same or higher activity vs those using the conventional sulfiding agents dimethyl disulfide (DMDS) and CS₂. The catalytic activity for HDS and hydrogenation depended remarkably on the presulfiding procedure such as type of sulfiding agent, temperature program in the presulfiding procedure, and in situ or ex situ

method. The S^{35} radioisotope tracer method was used to elucidate the effect of sulfiding parameters on sulfur behavior of the sulfided catalyst during the HDS reaction. The effects of sulfiding agent on the catalytic activity were supposed to mainly originate from the differences in the amount of labile sulfur formed in the different sulfiding processes.

The effects of organosulfur sulfiding molecule and of the solvent were analyzed by Texier *et al.* [11]. The authors concluded that if the sulfiding agents are used under rigorously identical conditions, there is no significant difference in the HDS performance of the obtained catalysts. The actual beneficial effect of organosulfides as activating agents as observed in the industrial practice was attributed not to their chemical effect but to the “thermal well” effect. The organosulfides were supposed to absorb the heat evolved in the exothermic oxide–sulfide transformation and better dispersion of the obtained sulfides explained the better efficiency of organosulfides as sulfiding agents.

In fact, having somewhat different reactivity and larger carbon chains, polysulfides are close by their chemical nature to DMDS. The latter is usually considered merely as a sulfidation agent and not as an “organic additive”. By the same token, polysulfides might be regarded at the first place as sulfidation agents. In contrast to TGA such molecules do not impact directly the oxide precursor on the impregnation steps, but interfere later, during the chemical reaction at increased temperature.

Overall, the literature analysis shows that sulfur-bearing additives may lead to highly active HDS systems. The main interest of these sulfur-containing additives lies in the possibility to activate catalysts without the use of H_2S (ex situ) or of DMDS (in situ) but to apply merely a treatment with hydrogen, therefore simplifying the activation process.

2.2. Thioglycolic acid

Thioglycolic (or mercaptoacetic) acid TGA is water soluble and convenient to use. It is relatively non-toxic and is used as a chemical depilatory and in solutions for hair treatment (creating permanents). This compound is non-expensive as it easily comes from the reactions of basic chemicals [12]–[13]. Chemically TGA is a relatively strong acid: with a pKa of 3.83 it is 100 times stronger than acetic acid, but slightly weaker than citric acid (pKa 3.13).

Being stable in air, however, as most sulfur–containing compounds (thioamides, thiols, etc) thioglycolic acid is prone to be oxidized in aqueous solution forming dithiodiglycolic- acid

and further, the sequence of sulfur-oxygen exchange compounds, this process being strongly dependent on the solution pH [14].

It has been reported that thioglycolic acid (on silica gel) is able to extract Cr(III) and Fe(III) cations from their ethanolic solutions. It reveals that TGA is a strong chelatant [15]. The potential modes of interaction of TGA with transition metals ions are shown in Figure 2. The exact type of chelation will probably depend on the relative hardness of the corresponding ions (HSAB theory).

Figure 2. Potential dentation modes of thioglycolic acid

The study of the formation of Mo(V) complex with thioglycolic acid from Mo(VI) ion indicates that it acts as a reducing ligand [16]. The interaction between Pt(II) complexes and thioglycolic acid has also been investigated [17].

The chelating properties make it obviously interesting as an agent allowing transport of metal species to a carrier at acidic pH. The first application of such properties was patented in 1974, to disperse the transition metals in the form of TGA complexes [18]. Only in 1992, TGA was applied and patented as a sulfiding agent [19].

Later, Payen *et al.* applied thioglycolic acid to modify a calcined alumina-supported CoMo catalyst [20][21]. The modified oxidic precursors were prepared by incipient wetness impregnation of the CoMo reference catalyst with aqueous solution containing the desired amount of thioglycolic acid to study several TGA/Mo molar ratios. An improvement of the thiophene HDS performances due to TGA addition was observed. It has been assigned to the complexation of the Mo and Co atoms with TGA which induces (i) the increase of the sulfidation degree of the active metals, (ii) the simultaneous sulfidation of the Mo and Co atoms leading to a decrease of the MoS₂ slabs length as well as to an increase of the number of Co atoms in decoration position.

Palcheva *et al.* studied TGA-modified NiMo sulfide catalysts supported on Nb modified mesoporous SBA-15 and HMS [22]. Calcined co-impregnated NiMo catalysts were prepared using ammonium heptamolybdate and nickel nitrate. Then NiMo catalysts were treated with TGA at TGA/Mo molar ratio of 4. For comparison, NiMo catalysts were prepared by a simultaneous impregnation of the supports with Ni, Mo precursors and TGA. Catalyst activity was examined in hydrodesulfurization (HDS) reactions of 1-benzothiophene and thiophene. It was found that simultaneous impregnation by Ni, Mo and TGA led to higher HDS activities than the sequential treatment of the calcined NiMo catalysts by TGA.

Recently, Toledo-Antonio *et al.* studied the Alumina-supported Mo-based HDS catalysts at 14 wt% nominal Mo loading [23]. The calcined catalysts were modified by TGA at TGA/Mo = 1 mol ratio. Two series of catalysts were studied, prepared using either ammonium heptamolybdate or phosphomolybdates as a precursor. The corresponding sulfided phases were studied by XPS and HR-TEM-STEM techniques. Formation of ligand-to-metal charge transfer (LMCT) complexes between TGA and Mo atoms, resulted in reduced Mo⁵⁺ species, as indicated by XPS and UV–visible spectra obtained on the oxidic precursors. It was concluded that impregnation with TGA redissolves and disperses the MoO₃ crystals resulting in sulfide particles with increased stacking of MoS₂ slabs, whereas the slabs length remained unaltered. High activity in liquid-phase DBT HDS was attributed to the increase of number of type II sites in sulfided TGA-modified formulations.

These studies carried on versatile systems under different conditions converge in the point of strong chemical impact of TGA: it modifies (redissolves) the (Co, Ni, Mo) oxide phase of the precursor already on the impregnation step and thus species chemically quite different from the initial ones react in subsequent steps of the activation process. However, in the case of optimized CoMo catalyst, as fresh commercial catalyst, impregnation with TGA generally does not lead to beneficial effect. By contrast, it might be very useful to reactivate regenerated catalysts.

3. Organic additives without S

3.1. Historical aspect of organic additives and hydrotreating catalysis: from patent start up to academic research

In the 2000's, a breakthrough in the catalytic activity of industrial hydrotreating catalysts occurred due to the introduction of organic compounds in the preparation procedure. In the

patent literature, Shell claimed, in 1986, the use of nitrilotriacetic acid (NTA) for the improvement of HDT catalysts [24]. In the 1990's, Sumitomo claimed new types of additive agent with at least one selected from dihydric or trihydric alcohols having 2 - 10 carbon atoms per one molecule, ethers of the alcohols, monosaccharides and disaccharides and polysaccharides [25],[26]. At the same period, Cytec proposed various chelating agents [27] and later on, Akzo Nobel patented organic compounds with at least one nitrogen function and one carbonyl function [28],[29]. Since this period many other companies patented their own organic boosters and develop industrial catalysts. These patents are not only limited to the use of specific molecules or functions but also to different preparation methods. A clear distinction can be made between the various additives with those having mainly a solvating effect and those for which complexing/chelating properties have to be considered. In fact, an organic compound can be introduced at various stages of the preparation of the catalyst and can be maintained until the activation stage or intermediately calcined. Thus, an additive can act as a complexing/chelating agent in the impregnation solution or after a treatment (drying, calcination) resulting in the formation of new entities at the surface of the support. This is illustrated by the Figure 3 which schematizes the preparation and regeneration steps of an HDT catalyst and the patents related to the use of organic compounds at each of these stages. According to the stage of the catalyst genesis at which the organic additive is introduced, different properties and different impact can be expected as will be described in details thereafter.

Figure 3. Preparation scheme of a hydrotreating catalyst and patents taken on the different preparation steps [30].

In parallel to the industrial developments, many academic works have been performed in order to clarify the role of these organic compounds and to find new promoters. Thus, in 1987, J.A.R. van Veen *et al.* proposed the use of nitrilotriacetic acid (NTA) in the one step co-impregnation preparation of a CoMo on alumina catalyst [31]. In 1991, Yoshimura *et al.* proposed citric acid as a ligand added in precursor solutions which can improve HDT properties for CoMo catalysts as well as ammonia as complexing agent for NiMo catalysts [32]. Academic studies on non-chelating agents attempting to explain the claims from Sumitomo patents were first published in 2003 by Sun *et al.* who briefly mentioned glycol [33]. Then in 2005 more detailed studies on ethylene glycol (EG) and triethylene glycol (TEG) on CoMoP/Al₂O₃ catalysts [34] and diethyleneglycolbutylether DEGBE on an industrial CoMoP catalyst [35] were reported. The main studied organic additives are gathered in Figure 4.

Figure 4. Main organic additives used in HDT catalyst preparation a) complexing agents and b) Non-complexing agents

3.2. Chelating and complexing additives

3.2.1. Characteristics and metal complex formation

A coordination complex consists of a metallic central atom surrounded by bound molecules known as ligands or complexing agents, thus, giving a metal complex. When a polydentate ligand creates multiple bonds with the metal, the resulting complex is named a metal chelate. The term chelate, derived from the Greek term for claw of the lobster or other crustaceans, is suggested for the caliper like groups, which function as two associating units and fasten to the central atom so as produced heterocyclic rings. In the preparation methods used for HDT

catalysts, classical (or Werner) complexes are formed via the lone pairs of electrons residing on the main group atoms of the ligand. The affinity of the ligand is described by a stability constant which can vary widely. Coordinating groups include different combinations of one or more of a small number of relatively simple groups ($-\text{OH}$, $-\text{COOH}$, $-\text{NH}_2$, etc.), each with two or more donor atoms (O, N, S) positioned in a way that enables sterically favorable chelates to be readily formed. Of course, this leads to a huge number of complexing/chelating agents, some of the major coordinating sites are illustrated in Figure 5.

Among them, aminopolycarboxylic acids (APCAs) containing several carboxylate groups bound to one or more nitrogen atoms have the ability to form very stable water soluble complexes with many di- or trivalent ions. The pH value of the aqueous solution is also a parameter of stability of the different complexes and ions.

Figure 5. Typical coordinating groups utilized in chelating ion exchangers (from high performance chelation ion chromatography)[36]

In solution the initial formation of weakly associated ionic pairs with the hydrated metal cation takes place due to electrostatic interactions:

The above associated pair then converts into a stronger formally recognized ion-pair as follows:

Complex formation then follows, with the release of a number of water molecules as the final step:

The formation of multiple bonds can proceed through a sequence as illustrated by Figure 6.

Figure 6. The stepwise interaction of iminodiacetic acid (IDA) functional groups with divalent metal cations

Overall pathways of ligand exchange can lead to complex mechanisms as illustrated by Boland and Stone [37]. Structure III in Figure 6 usually corresponds to the rate-determining process in the formation of the complex. Depending on the metal ion, the rate constant of complexation varies over a wide range (from 10 to 10^{10} s^{-1}), the nature of the ligand has also a role on complexation kinetics, anionic forms of ligands being more reactive. The presence of an organic solvent in the aqueous impregnation phase may also affect the kinetic of complexation.

Figure 7. Examples of metal complexes with EDTA

Various complexes can be formed as illustrated by Figure 7 and Figure 8, and the interaction of the surface might modify the predominant conformation due to specific interactions (electrostatic or steric).

Figure 8. Molecular structures of chelating agents along with conformations of predominant complexes with Ni(II) at pH 7 (50 μM Ni_{Total} and 200 μM L_{Total}). (* denotes the conformation that is calculated to be at the highest concentration at equilibrium)[37]

Table 1. Some characteristics of chelating agents [39,40]

Chelating agent	Formula	Boiling point	pKa ^a	logK1 25°C
Ethylene diamine (En)		116°C	9.98	Co ²⁺ :5.91 Ni ²⁺ :7.52
Diethylene triamine (DT)		207°C	10.45	Co ²⁺ : 8.1 Ni ²⁺ : 10.7
Nitrilotriacetic acid (NTA)		Decomposition 246°C	3,03	Co ²⁺ :10.38 Ni ²⁺ :11.50
Cyclohexane Ethylenediamine tetraacetic acid CyDTA				Co ²⁺ : n. d. Ni ²⁺ : 21.3 Higher than EDTA
Ethylene diamino tetra acetic acid EDTA		237°C	2.0	Co ²⁺ : 16.4 Ni ²⁺ : 20.33
CA		153°C	3.13	Co ²⁺ : 4.4 Ni ²⁺ : 5.11

^a the first constant is indicated, n. d.: not determined

Considering the various stages of the preparation, differences in the process of metal chelate formation in solution and of an ion grafted on a surface are related to the restricted mobility of the metal ion ligands along that surface. In ionic chromatography, the main difference between complexation in homogeneous and heterogeneous systems is related to the limited conformational mobility of immobilized ligands, in most cases preventing the formation of complexes with stoichiometry other than 1:1. However, when maturation and drying procedure is applied it is possible to observe by XRD the formation of crystalline complexes indicating that upon drying, crystallization of the complexes can easily occur.

This mechanism is also applicable to heterogeneous reaction, the metallic ion being located at the surface of the catalyst either in the inner (IHP) or outer (OHP) Helmholtz plane in the aqueous phase or grafted at the surface after drying (Figure 9).

Figure 9. Schematic view of ion adsorption on a hydrated (left) and dried surface (right)
[41]

It has been demonstrated that the support by itself (alumina) can act as a ligand and aluminum can be incorporated in a heteropolyacid (HPA) according to the following reaction:

After drying, these HPA can crystallize and be observed by XRD. The use of complexing/chelating agents (or even non-complexing ones) might compete with this reaction and prevent the formation of aluminum hexamolybdate (Anderson HPA).

The chelating agents can provide a wide range of properties in solution as summarized in **Erreur ! Source du renvoi introuvable.** The pKa and therefore the pH of the impregnation solution can be partially controlled by the nature of the additive. Boiling temperature often coincides with a mass loss event in the TGA analysis curves of the impregnated catalysts and the equilibrium constant of the complexes formed in solution might also vary in a wide range. van Haandel *et al.* [42] by comparing the impact on catalytic performances of weak (α hydrocarboxylic acids) or strong (aminopolycarboxylic acids) additives, proposed on the basis of the equilibrium constants, that weak complexing agents are more efficient.

3.2.2. Effects on structure and activity

In the field of HDT catalysis, the initially used chelating molecules were NTA, EDTA, diA-EDTA, 1,2-cyclohexanediamine-N,N,N',N'-tetraacetic (CyDTA) and ethylenediamine (EN). These aminopolycarboxylic acids have been first considered in the literature and extensively studied, but the industrial application faced rapidly the problem of cost. Therefore, alternative compounds were investigated and a focus was made on the specific case of less expensive compounds such as acids and α -hydroxycarboxylic acids (AHAs): citric acid (CA), maleic acid (MA), L-glutamic acid (GLU). In an early study, Inamura *et al.* showed that the addition of L-glutamic acid allows a 60% increase of catalytic activity in thiophene HDS [43].

Tables 2-5 summarize (i) the catalytic impact of such organic additives (ii) the evidence of additives impact on the physicochemical properties of the catalyst.

It appears that the positive effect of these complexing organic additives on the HDS activity is variable and depends in particular on the stage of introduction, the presence or absence of a calcination step before the sulfidation, the conditions of this sulfidation (gas phase/liquid phase), the composition of the catalyst (in particular presence of phosphorus or not) and the additive/metal ratio. Likewise, when it is observed, the origin of the activity gain is not clearly established. For instance, when addition is performed during the preparation of the support, it might control the growth and morphology and consequently affect the textural properties. For the chelating agents introduced during the impregnation stage, the interactions with metal precursors may affect their reactivity with support surface and thus modify the metal dispersion. These modifications will have an impact on the sulfidation rate and extent of promotion. It is also reported that the chelating agent addition in the impregnation solution modifies the viscosity of the solution upon the drying stage which inhibits the segregation of the metal precursors in the support bodies keeping both the metal and the promoter together

[43]. Note that organic additives have also a positive effect on non-promoted supported MoS₂ activity as in the case for instance of CA [44][45] and NTA [46].

Table 2. Effect of nitrogen containing chelating agent on the activity in HDS and HYD of CoMo(P) NiMo(P) and NiW catalysts

Catalyst	Chelating agent	Preparation/ Introduction	Ref/agent	Sulfidation	Catalytic test	P (MPa)	n _{agent} / n _{Mo}	Activity (%)	Ref.
CoMo	CyDTA	I	D/D	H ₂ S/H ₂ / 1.1 MPa / 673 K	HDS BT	5.1	0.6	+70%	[47]
	CyDTA	I	D/D	H ₂ S/H ₂ / 1.1 MPa / 673 K	HDS DBT	5.1	0.6	+25%	
	EDTA	I	D/D	H ₂ S/H ₂ / 1.1 MPa / 673 K	HDS BT	5.1	0.6	+25%	
	EDTA	I	D/D	H ₂ S/H ₂ / 1.1 MPa / 673 K	HDS DBT	5.1	0.6	+10%	
	NTA	I	D/D	H ₂ S/H ₂ / 1.1 MPa / 673 K	HDS BT	5.0	1.2	+15%	
	NTA	I	D/D	H ₂ S/H ₂ / 1.1 MPa / 673 K	HDS DBT	5.1	1.2	+1%	
	NTA	I	D/C	H ₂ S/H ₂ / 0.1 MPa / 623 K	HDS thiophene	0.1	1.2	+100%	[31]
	NTA	I	C/C	H ₂ S/H ₂ / 0.1 MPa / 673 K	HDS thiophene	0.1	1.0	+60%	[48]
	NTA	I	D/D	H ₂ S/H ₂ / 0.1 MPa / 623 K	HDS thiophene	0.1	1.6	+15%	[49]
	EDTA	SI	D/D	H ₂ S/H ₂ / 0.1 MPa / 623 K	HDS thiophene	0.1	0.9	+34%	[50]
	EDTA	I	D/D	H ₂ S/H ₂ / 0.1 MPa / 673 K	HDS thiophene	0.1	0.6	+30%	[51]
	EDTA	I	D/C	H ₂ S/H ₂ / 0.1 MPa / 673 K	HDS thiophene	0.1	0.6	-41%	
	DiA-EDTA	after C	C/C	H ₂ S/H ₂ / 0.1 MPa / 723 K	HYD tetraline	0.45	0.3	+55%	[52]
	DiA-EDTA	after C	C/D	H ₂ S/H ₂ / 0.1 MPa / 723 K	HYD tetraline	0.45	0.3	+45%	
	NTA	I	C/C	H ₂ S/H ₂ / 0.1 MPa / 673 K	HDS thiophene	0.13	1.33	+160%	[53]
	EDTA	I	C/D	CS ₂ / 1.5 MPa / 643 K	HDS thiophene	1.5	2.3	+21%	[54]
	EDTA	I	C/C	H ₂ S/H ₂ / 0.1 MPa / 673 K	HDS DBT	7.3	0.5	+45%	[55]
CoMoP	DiA-EDTA	after C	C/D	H ₂ S/H ₂ / 0.1 MPa / 723 K	HYD tetraline	0.45	0.3	+45%	[52]
	DiA-EDTA	after C	C/C	H ₂ S/H ₂ / 0.1 MPa / 723 K	HYD tetraline	0.45	0.3	+33%	

DiA-EDTA: Diammonium ethylenediaminetetraacetate; I: during impregnation; SI: successive impregnation*step before sulfidation of the reference catalyst and of the one prepared with the chelating agent drying (D) / calcination(C)

Table 3. Effect of carboxylic acids on the activity in HDS of CoMo(P), NiMo(P) and NiW catalysts

Catalyst	Chelating agent	Preparation/Introduction	Ref/agent	Sulfidation	Catalytic test	P (MPa)	n _{agent} / n _{Mo}	Activity (%)	Ref.
CoMo	Glu	I	C/C	H ₂ S/H ₂ / 0.1 MPa / 673 K	HDS thiophene	0.1	1.0	+50%	[48]
	AC	I	D/D	H ₂ S/H ₂ / 0.1 MPa / 673 K	HDS thiophene	0.02	1	+17%	[45]
	CA	I	C/C	H ₂ S/H ₂ / 0.1 MPa / 673 K	HDS DBT	7.3	1	+14%	[55]
	CA	I	C/commercial	DMDS / 3.5 MPa / 623 K	HDS SRGO	3.5	1	+28%	[56]
CoMoP	CA	I	D/D	DMDS / 3.5 MPa / 623 K	HDS DBT	3.0	1	+80	[57]
	CA	After C	D	CS ₂ / 6.4 MPa / 633 K	HDS 4,6-DMDBT	6.4	1.5	+40%	[58]
NiMoP	CA	I	C/C	H ₂ S/H ₂ / 0.1 MPa / 623 K	HDS DBT	2.0	Ca/Ni = 0.8	+50%	[59]
	CA	I on Al ₂ O ₃	C/D	H ₂ S/H ₂ / 0.1 MPa / 673 K	HDS BT	7.2	CA/Ni = 1	+70%	[60]
NiW	CA	SI	D/D	H ₂ S/H ₂ / 0.1 MPa / 673 K	HDS DMDBT	1.4	CA/Ni = 2	+200%	[61]
	CA	I	D/D	CS ₂ / 4.0 MPa / 633 K	HDS DMDBT	4.0	CA/Ni =	+7%	[62]

Table 4. Effect of nitrogen containing chelating agent on CoMo(P) catalysts – Characterization method and conclusion

Catalyst	Chelating agent	n _{agent} / n _{Mo}	Introduction	Sulfidation	Catalyst characterization	Conclusion	Ref.
CoMo	CyDTA	0.6	I	H ₂ S/H ₂ / 1.1 MPa / 673 K	NO/IR and NO adsorption	Increased dispersion of Co	[47]
	EDTA	0.6	I	H ₂ S/H ₂ / 1.1 MPa / 673 K			
	NTA	1.2	I	H ₂ S/H ₂ / 1.1 MPa / 673 K			
	NTA	1.2	I	H ₂ S/H ₂ / 0.1 MPa / 623 K	Co Mossbauer	CoMoS type II formation	[31]
	NTA	1.33	I	H ₂ S/H ₂ / 0.1 MPa / 673 K	XPS	Delayed sulfidation of Co	[53]
	NTA	1.6	I	H ₂ S/H ₂ / 0.1 MPa / 623 K	CO/IR during sulfidation	Increased CoMoS sites concentration	[63]
	EDTA	0.9	SI (EDTA+Co)		CO/IR	Increased CoMoS sites concentration	[50]
	NTA	1.0	I	H ₂ S/H ₂ / 0.1 MPa / 673 K	NO/IR	Increased dispersion of Co Decrease formation of Co ⁺ , Al ₂ O ₃ and CoMoO ₄	[48]
	EDTA	0.6	I	H ₂ S/H ₂ / 0.1 MPa / 673 K	NO/IR and CO, TPS	Delayed sulfidation of Co Promotion degree enhancement	[51]
	EDTA	0.6	I	H ₂ S/H ₂ / 0.1 MPa / 673 K			
	EDTA	2.3 - 3.6	I	CS ₂ / 1.5 MPa / 643 K	CO/IR	Increased CoMoS site concentration	[54]
	DiA-EDTA	0.3	after C	H ₂ S/H ₂ / 0.1 MPa / 723 K	TPS, Raman	Delayed sulfidation of Co Extraction of Co from CoMoO ₄	[52]
	DiA-EDTA	0.3	after C	H ₂ S/H ₂ / 0.1 MPa / 723 K			
	EDTA	0.5	I	H ₂ S/H ₂ / 0.1 MPa / 673 K	XRD, UV-vis, TPR, HRTEM	No formation of CoMoO ₄ Better dispersion of metal	[55]
CoMoP	DiA-EDTA	0.3	after C	H ₂ S/H ₂ / 0.1 MPa / 723 K	TPS, Raman	Delayed sulfidation of Co Extraction of Co from CoMoO ₄	[52]
	DiA-EDTA	0.3	after C	H ₂ S/H ₂ / 0.1 MPa / 723 K			

DiA-EDTA: Diammonium ethylenediaminetetraacetate; I: during impregnation; SI: successive impregnation

Table 5. Effect of carboxylic acid on CoMo(P), NiMo(P) and NiW catalysts – Characterization method and conclusion

Catalyst	Chelating agent	$n_{\text{agent}} / n_{\text{Mo}}$	Introduction	Sulfidation	Catalyst characterization	Conclusion	Ref.
CoMo	Glu	1	I	H ₂ S/H ₂ / 0.1 MPa / 673 K	NO/IR	Increased dispersion of Co Decrease formation of Co·Al ₂ O ₃ and CoMoO ₄	[48]
	CA	1	I	H ₂ S/H ₂ / 0.1 MPa / 673 K	XRD, UV-vis, TPR, HRTEM	No formation of CoMoO ₄ Better dispersion of metal	[55]
	CA		I	H ₂ S/H ₂ / 0.1 MPa / 673 K	XPS, TPO, EXAFS	Increase number of CoMoS	[32]
	CA	1	I	H ₂ S/H ₂ / 0.1 MPa / 673 K	Raman, EXAFS	Increased dispersion of Mo	[45]
	CA	1	I	DMDS / 3.5 MPa / 623 K	TGA, DSC, TPO, Raman, TPR-MS, HRTEM, XRD,	Uniform deposition of Co and Mo complexes	[56]
CoMo(P)	CA	1	I	DMDS / 3.5 MPa / 623 K	Raman, TPR, XPS, HRTEM	Promotion degree enhancement Increased Mo dispersion and stacking number	[57]
	CA	CA/Co = 0-1.5	After C	CS ₂ / 6.4 MPa / 633 K	TPR, FTIR, TG-MS, Raman, XRD, DRS UV-vis, XPS, HRTEM	Redispersion of Co, Mo by (i) decrease of MoO ₃ -support interaction (ii) formation of polymolybdate and well dispersed MoO ₃ (iii) removal of CoAl ₂ O ₃ Enhanced sulfidation degree	[58]
NiMoP	CA	CA/Ni = 0.8	I	H ₂ S/H ₂ / 0.1 MPa / 623 K	NO adsorption, XPS, TPR	Increase Ni-Mo-S active phase formation	[59]
	CA	CA/Ni = 1	On Al ₂ O ₃	H ₂ S/H ₂ / 0.1 MPa / 673 K	UV-visible, IR, TPR, TGA	Decrease of support active phase interaction by passivation of OH groups by CA	[60]
NiW	CA	CA/Ni = 2	SI (CA + Ni)	H ₂ S/H ₂ / 0.1 MPa / 673 K	Uv-Vis, IR, TPR, HRTEM, XPS	Decrease of support active phase interaction Delayed reduction of Ni Decrease of WS ₂ sintering	[61]
	CA	CA/Ni = 1.2	I	CS ₂ / 4.0 MPa / 633 K	Uv-Vis, TPO, HRTEM, XPS	Decrease of WS ₂ slab length Increase Ni-W-S active phase formation Decrease of support active phase interaction	[62]

For the Co promoted Mo catalysts, it is proposed that the complexation of cobalt causes (i) a delay in the sulfidation of Co which would then take place at the same time as or after that of molybdenum and then increase the quantity of promoted sites[64]·[65]; (ii) an increase in the amount of cobalt used for decoration (reduction of the Co insertion in alumina, dissolution of CoMoO₄ oxide); (iii) a modification of the nature of the formed sites (CoMoS type II instead of CoMoS type I)[31]·[66]. However, the complex formed does not always imply the promoter but can also be formed with Mo. This is the case when CA is used. It has been reported by Bergweff *et al.* that at the pH classically used for the preparation (less than 2), the more stable complex is Mo₄(Hcitrate)₂O₁₁⁴⁻ [67]. Formation of this complex is beneficial to limit the interaction between the Mo precursor and the alumina support favoring the simultaneous migration of the Co and Mo complexes inside the alumina pellet during the impregnation step.

For Ni-Mo catalysts, the formation of NiMoS type II upon addition of NTA was also claimed by van Veen *et al.* to explain the activity gain (+17%) in HDN of quinoline[68]. Prins *et al.* studied the influence of several additives (EDTA, NTA, ethylenediamine (EN)) on NiMo/SiO₂ [69 - 72] and NiMo/Al₂O₃ catalysts [73]. In the case of silica support for which weaker interactions occur than on alumina, the formation of complexes leads to delayed sulfidation and better dispersion of Ni. In the case of Ni(W) catalysts, improved activity in thiophene HDS is also attributed to the formation of a Ni complex which delayed the sulfidation of Ni (i) to temperature where W is getting sulfided in the case of NTA and EDTA (ii) to temperature where W is already sulfided in the case of CyDTA [74]·[75]. Thus, the promoter will interact only with sulfided WS₂ slabs providing more decorated NiWS sites. Similar results were obtained on CoW system with CyDTA and triethylenetetraamine hexa acetic acid (TTHA)[76].

It was also demonstrated by Blanchard *et al.*[77] that the formation of CoMoO₄ or Co₃O₄ (poor precursors for CoMoS) are prevented with EDTA addition. Mazoyer *et al.* have shown that these phases are consumed by DiA-EDTA, leading to the redispersion of Co atoms at the surface of the catalyst [52]. Likewise, redispersion effect and activity promotion of CA on CoMo/Al₂O₃ catalysts were shown to: (i) weaken MoO₃-Al₂O₃ interaction through competitive reaction with hydroxyl groups of Al₂O₃; (ii) transform MoO₄²⁻ and β-CoMoO₄ into polymolybdate and promote bulk MoO₃ into well-dispersed MoO₃, (iii) remove the CoAl₂O₄-like species [58].

Few academic works have addressed the issue of complexing agent selectivity toward Co(Ni) vs. Mo(W) in the case of HDT catalysts. However, in the PhD work of *Mazoyer*, the use of 2-aminoethoxyethanol (AEE), was found to be selective to Mo complexation [78]. *Klimov et coll.*[79] studied the activation of a CoMo/Al₂O₃ catalyst prepared with citric acid and evidenced the formation of a mixed Co and Mo complex: Co₂[Mo₄(C₆H₅O₇)₂O₁₁] (Figure 10). In the opposite, *Escobar et al.* reported that simultaneous Ni-Mo-P-CA deposition leads to a low pH of impregnating solution (pH ~ 1.4) devoid of citric acid anions (then, no citrate complex formation). In such a low-pH solution CA was ineffective in improving HDS activity [60].

Figure 10. Proposed structure for Co₂[Mo₄(C₆H₅O₇)₂O₁₁] complex [79]

The α -hydroxycarboxylic acids (CA, Tartaric acid (TA) and Gluconic acid (GA)) form weak complexes with cobalt that readily decompose at 20 bar in H₂S/H₂, resulting in sulfidation at earlier stage of the activation process. Aminopolycarboxylic acids (NTA, EDTA) form cobalt chelates of higher stability, of which the cobalt-EDTA complex is least affected by H₂/H₂S pressure [42]. However, catalyst samples prepared with weak chelating agents (CA, TA, GA) are the most active and have the highest degree of promotion. This is attributed to enhanced reducibility of molybdenum as well as to lowered metal-support interactions [42]. Identification of the Co complex formed upon maleic acid addition on regenerated samples was performed by Bui *et al.* [80] (Figure 11). Similarly, as for as prepared catalyst, the maleic acid allows the extraction of Co from CoMoO₄ phase in regenerated samples.

As compared to chelating agents, it is considered that no (or weak) complexes are formed with non-chelating agents, and therefore since only weak interactions exist, calcination must be avoided in order to keep the benefit of the interaction of the additive with the support or with the precursor phase. A short list of this type of additives is given in Table 6. Several assumptions have been made in order to explain the beneficial effect observed.

J. A. van Dillen *et al.* proposed that the viscosity increase may have a beneficial effect on the active phase dispersion and consequently on the catalytic activity [43]. According to the author, since the solvent evaporation takes place at the exterior of the support particles, the capillary flow of the solution to its exterior surface may take place, thereby causing the production of egg-shell catalysts, often with poor dispersion of the active phase. An increase in the impregnation solution viscosity suppresses the solution outward flow and leads to more uniform profiles over the support bodies. Indeed, increase in the viscosity of the solution during drying is reported and would explain a homogeneous dispersion of the active components as well as their weak interaction with the support [43]. The presence of the additive, by reacting with basic Al-OH and Al³⁺ alumina sites may hinder the interaction of the precursors with the support surface[83]. Costa *et al.*[84] by studying different ways of impregnation for various CoMoP/Al₂O₃ catalysts demonstrate that the presence of the TEG modifies the distribution of HPA at the surface of the alumina and induces redispersion of the oxidic compounds. UV and Raman analysis demonstrated that Co is mostly impacted and proportion between Co(II) and Co(III) is impacted by the presence of the additive [84]. Such an effect has an impact of the sulfidation rates of the Mo and Co and like chelating agents leads to a delay in the sulfidation rates of either Mo or Co with TEG, DEGBE [35]·[52]·[85].

Table 6. Boiling point or melting point or decomposition temperature and viscosity at 20°C of the alcohols and ethers use as additives

Alcohols and ethers	Formula	Boiling point (°C)	Viscosity at 20 °C (cPs)
Ethyleneglycol		197	21
Propyleneglycol		188-199	56
Diethyleneglycol		245	38
Trimethyleneglycol		210-211	56
Triethyleneglycol		285	48
Glycerin		290	1500
Polyethyleneglycol	$H(O-CH_2-CH_2)_nOH$		
Trimethylolethane		197 (mp*)	solid
Trimethylolpropane		295 (mp*)	solid
Ethyleneglycol monobutyl ether		171	3
Diethyleneglycol monomethyl ether		193	4
Diethyleneglycol monoethyl ether		203	4
Diethyleneglycol monopropyl ether		213	5
Diethyleneglycol monobutyl ether		231	6
Polyethyleneglycol 200		200 (dec*)	61
Polyethyleneglycol 400		-	100
Polyethyleneglycol 600		-	140

*mp = melting point; dc = decomposition

Figure 12. Schematic representation of hydrogen bonding possibilities for DEGbe adsorption over alumina

Interaction of non chelating agent with the alumina support can be described by hydrogen bonding (Figure 12). To this weak hydrogen interaction, we should add the possibility of coordination between Al^{3+} Lewis acidic sites and the basic ether oxygen of PEG (Lewis acid-base interaction), as well as electrostatic interaction between positively charged alumina surface and feebly negatively charged ethoxy oxygen of PEG, below pH 9 (isoelectrical point of alumina, IEP). All these interactions depend on pH.

As a consequence, alumina becomes less reactive to water and using these organic compounds, it is possible to prevent reaction with water and creation of boehmite. Even if the interaction with the Mo or Co oxides are weak, the high boiling point of these organic compounds delayed the sulfidation as observed for TEG by Nicosia *et al.* [34], and for DEGBE by Mazoyer *et al.* [35]. Costa concluded in his PhD, related to the use of organic promoters in combination with HPA, that glycol type additives improve the dispersion of the oxidic precursors leading to a higher number of well promoted CoMoS sites [86]. T. S. Nguyen *et al.* evidenced that triethylene glycol (TEG) modifies the nature of molybdenic species by reducing the polymerization state of molybdates [85]. The Table 7 and Table 8 summarize the impact of non-chelating agents on the physicochemical properties and catalytic activity of the catalysts.

Table 7. Effect of non-chelating agent on sulfide catalysts – Characterization method and conclusion

Catalyst	Non-chelating agent	$n_{\text{agent}} / n_{\text{Mo}}$	Introduction	Ref / agent*	Sulfidation	Catalyst characterization	Conclusion	Ref.
Mo and CoMoP	PEG	1.0	I	D/D	H ₂ S/H ₂ / 0.1 or 2 MPa / 623 K	XAS, TEM, XPS	Favors formation of polymolybdates	[42]
CoMoP	TEG	0.83	I	D/D	H ₂ S/H ₂ / 0.1 MPa / 673 K	IR, XAS	Interaction with the support Favors HPA formation	[83]
	TEG	0.7-0.8	After D	D/D	H ₂ S/H ₂ / 0.1 MPa / 673 K	TEM, XPS, DFT	Additive maximize CoMoS phase content	[87]
	TEG	0.63-0.8	After D or C	D or C/D	DMDS / 6 MPa / 673 K	Raman, UV-visible	Redissolution/redispersion after TEG addition. Redistribution of surface entities. Weaker effect if calcined	[84]
	DeGbe	1.33	I	D/D	H ₂ S/H ₂ / 0.1 MPa / 723 K	EXAFS during sulfidation	Sulfidation of Mo and Co delayed	[35]
	TEG	2	I	D/D	H ₂ S/H ₂ / 0.1 MPa / 673 K	In situ Raman, XAS, CHNS, HRTEM	Sulfidation of Mo and Co delayed	[85]
	TEG	2	I	D/D	DMDS / 3.5 MPa / 593 K	In situ Raman, XAS, CHNS, HRTEM	Sulfidation of Mo and Co delayed	[85]
NiMoP/Al ₂ O ₃	EG	1.0-7.0	I	D/D	H ₂ S/H ₂ / 0.1 MPa / 673 K	TPR, XPS, HR-TEM	Decrease of interaction with the support. Decrease of Mo sulfidation. Increase of Ni dispersion and of NiMoS phase formation.	[88]
CoMo(CA)P	EG, DEG, TEG, glycerol		I	D/D	DMDS / 3.5 MPa / 613 K	Raman, TPR, XPS, HR-TEM	Decrease of the interaction with the support. Increase of stacking number.	[57]
NiMo	PEG	0.2	I	C/C	DMDS / 5MPa / 523 K	XPS	Increase Ni and Mo dispersion	[89]
NiMoP								
NiMoP	EG	1	I	D/D	H ₂ S/H ₂ / 0.1 MPa / 673 K	TPR, XPS	Decrease Ni and Mo support interaction Increase NiMoS phase formation	[88]

I: during impregnation; SI: successive impregnation; *step before sulfidation of the reference catalyst and of the one prepared with the chelating agent drying (D) / calcination(C)

Table 8. Effect of non-chelating agent on the activity in HDS and HYD of sulfide catalysts

Catalyst	Non-chelating agent	Preparation/Introduction	Ref/agent*	Sulfidation	Catalytic test	P (MPa)	n _{agent} / n _{Mo}	Activity (%)	Ref.
MoP	PEG	I	D/D	H ₂ S/H ₂ / 0.1 or 2 MPa / 623 K	HDS thiophene	0.1	1.0	+46%	[42]
CoMoP	DeGbe	I	D/D	H ₂ S/H ₂ / 0.1 MPa / 723 K	HYD tetraline	4.5	1.33	+30%	[35]
	TEG	I on oxidic catalyst	D/D	H ₂ S/H ₂ / 0.1 MPa / 673 K	HDS 4,6 - DMDBT	5.0	2	+100%	[85]
	TEG	I on oxidic catalyst	D/D	DMDS / 3.5 MPa / 593 K	HDS SRGO	2.7	2	+200%	[85]
	TEG	I	D/D	H ₂ S/H ₂ / 0.1 MPa / 673 K	HDS thiophene	0.1	0.40	+32%	[83]
	PEG	I	D/D	H ₂ S/H ₂ / 0.1 or 2 MPa / 623 K	HDS thiophene	0.1	1.0	+127%	[42]
	TEG	I on D or C catalysts	D/D	DMDS / 6MPa / 623 K	Toluene HYD	6.0	0.6-0.8	From 4% to 41%	[84]
NiMo	PEG	I	C/C	DMDS / 5MPa / 523 K	HDS DBT	5.0	0.2	+14%	[89]
NiMoP	PEG	I	C/C				0.2	+10%	
	EG	I	D/D	H ₂ S/H ₂ / 0.1 MPa / 673 K	HDS DBT	7.0	EG/Ni = 1	+13%	[88]
				DMDS/ 2.7 / 613 K	HDS SRGO	7.0		+30%	

I: during impregnation; *step before sulfidation of the reference catalyst and of the one prepared with the chelating agent drying (D) / calcination(C)

3.4. Other types of additives: Bio-inspired molecules

These are mostly academic studies, not yet advanced to the stage of industrial applications that strive to replace existing additives with cheap, non-toxic and environmentally friendly natural molecules. Natural substances such as saccharose (Fig. 13a) or molecules that can spontaneously polymerize such as dopamine (Fig. 13b) have also been recently investigated.

Figure 13. Examples of bio-inspired additives: a) saccharose and b) dopamine

Saccharose (SA) can be assimilated to a large non-chelating agent, highly soluble, cheap and non-toxic. NiMoP/Al₂O₃ doped with saccharose at different stages of preparation and molar ratio SA/Ni=1 [90] and SA/Ni 0.5,1-3 [91] demonstrated enhanced catalytic activities. An excessive amount of saccharose is detrimental to HDS activity. Interaction of sugars with alumina surface occurs via sugar hydroxyls and aluminol groups and is affected by the presence of anions [92].

Polydopamine is inspired from the properties of mussel adhesive proteins and was proposed for improving the performances of electrostatic multilayer films [93]. It combines the properties of coating alumina and complexing Mo [94]. The functional groups of dopamine, i.e. the catechol and the amine group are responsible for the strong adhesive properties of the molecule. Moreover, dopamine spontaneously self-polymerizes under ambient conditions, at basic pH. The polymerization is triggered by an oxidation of the molecule in air; no initiator is required. Rajesh et al. evidenced that the presence of polymerized dopamine weakens the interaction with the oxide support (alumina, silica, titania with less effects) and favors MoS₂ crystallites dispersion [95]. It allows enhancing the activity of a CoMo/SiO₂ by a factor of 2 and promotes alumina supported catalysts[96].

4. Conclusion

Organic additives had a strong impact on the production of industrial HDT catalysts. All catalysts manufactures are now using these additives to provide to refineries efficient catalysts. They are also required now after regeneration in a so-called “rejuvenation” process in order to reach catalytic performances for re-use. The wide diversity of molecules, their impact either on oxidic state or during the activation process has been extensively investigated. Overall, these organic molecules permit to maximize the use of Co and Mo to generate an optimum content of CoMoS phase. If not yet deeply addressed by academy, the use of mixtures of additives, bringing different interactions and probably synergetic effects is a further direction for improving the impact of organic additives. Bio-inspired molecules, by their low toxicity are also of great interest.

Acknowledgments

The authors thank Eurecat S. A. for fruitful discussions. C. P. thanks the « Pack Ambition Recherche » program of Région Auvergne Rhône-Alpes for a grant. The authors thank Luz Zavala Sanchez for her kind help in the references management.

References

- [1] G. Berrebi, Eur. Patent, 0130650, 1984.
- [2] J. van Gestel, J. Leglise, J.C. Duchet, Catalytic properties of a CoMo/Al₂O₃ catalyst presulfided with alkyl polysulfides: Comparison with conventional sulfiding, J. Catal. 145 (1994) 429–436.
- [3] P. Dufresne, N. Brahma, F. Labruyere, M. Lacroix, M. Breysse, Activation of off site presulfided Cobalt-Molybdenum catalysts, Catal. Today 29 (1996) 251–254.
- [4] F. Labruyere, P. Dufresne, M. Lacroix, M. Breysse, Ex situ sulfidation by alkylpolysulfides: A route for the preparation of highly dispersed supported sulfides, Catal. Today 43 (1998) 111–116.
- [5] E. Lyons, Thioglycolic acid as a color test for iron, J. Am. Chem. Soc. 49 (1927) 1916–1920.

- [6] N. Rueda, R. Bacaud, M. Vrinat, Highly Dispersed, Nonsupported Molybdenum Sulfides, *J. Catal.* 169 (1997) 404–406. doi:10.1006/jcat.1997.1669.
- [7] S.P. Kelty, G. Berhault, R. Chianelli, The role of carbon in catalytically stabilized transition metal sulfides, *Appl. Catal. A Gen.* 322 (2007) 9–15.
- [8] J.H. Wilson, G. Berrebi, Sulficat®: Off-Site Presulfiding of Hydroprocessing catalyst From Eurecat, *Stud. Surf. Sci. Catal.* 38 (1988) 393–398. doi:10.1016/S0167-2991(09)60672-8.
- [9] S. Yamada, W.H. Qian, A. Ishihara, G.D. Wang, L. Li, T. Kabe, Methods of activating catalysts for hydrodesulfurization of light gas oil (Part 1) - Catalytic activity of CoMo/Al₂O₃ catalyst presulfided with polysulfides for hydrodesulfurization of dibenzothiophene, *J. Japan Pet. Inst.* 44 (2001) 217–224.
- [10] W.H. Qian, S. Yamada, A. Ishihara, M. Ichinoseki, T. Kabe, Methods of activating catalysts for hydrodesulfurization of light gas oil (Part 2) - Catalytic properties of CoMo/Al₂O₃ presulfided by polysulfides for deep and ultra-deep hydrodesulfurization of light gas oil, *J. Japan Pet. Inst.* 44 (2001) 225–231.
- [11] S. Texier, G. Berhault, G. Perot, V. Harle, F. Diehl, Activation of alumina-supported hydrotreating catalysts by organosulfides: comparison with H₂S and effect of different solvents, *J. Catal.* 223 (2004) 404–418.
- [12] R. Rippel, Mercaptoacetic acid and derivatives, *Encycl. Ind. Chem.* (2012) 555–557. doi:10.1002/14356007.a16_265.
- [13] M. Saeed, N. Hameed, V. Madan, S. Mansoor, Preparation and Mechanisms studies of Thioglycolic Acid, *J. Sci. Ind. Res. (India)*. 35 (1992) 131–132.
- [14] A.M. Cook, K.J. Steel, The stability of thioglycollate solutions. II. Miscellaneous factors associated with the oxidation and stability, *J. Pharm. Pharmacol.* 11 (1959) 434–441.
- [15] N.H. Arakaki, J.G. Espinola, M.G. Fonseca, S. Oliveira, A.N. Sousa, T. Arakaki, Airoidi, Thioglycolic acid grafted onto silica gel and its properties in relation to extracting cations from ethanolic solution determined by calorimetric technique, *J. Colloid Interface Sci.* 273 (2004) 211–217.

- [16] J.F. Martin, J.T. Spence, Oxidation of thioglycolic acid by molybdenum (V) and molybdenum (VI), *J. Phys. Chem.* (1970) 3589–3596.
- [17] Z. Bugarcic, V. Djordjevic, Kinetics and Mechanism of the Reaction of Platinum (II) Complexes with Thioglycolic Acid, *Monatshefte Für Chemie.* 129 (1998) 1267–1274.
- [18] E. Michalko, Method of depositing a catalytically active metallic component on a carrier material, US3972829A, 1976.
- [19] T. Yasuhito, S. Shigeru, I. Yoshimasa, A catalyst for hydrotreating hydrocarbons and methods of activating the same, 0506206A1, 1988.
- [20] N. Frizi, P. Blanchard, E. Payen, P. Baranek, M. Rebeillau, C. Dupuy, J.P. Dath, Genesis of new HDS catalysts through a careful control of the sulfidation of both Co and Mo atoms: Study of their activation under gas phase, *Catal. Today* 130 (2008) 272–282.
- [21] N. Frizi, P. Blanchard, E. Payen, P. Baranek, C. Lancelot, M. Rebeilleau, C. Dupuy, J.P. Dath, Genesis of new gas oil HDS catalysts: Study of their liquid phase sulfidation, *Catal. Today* 130 (2008) 32–40.
- [22] R. Palcheva, L. Kaluza, L. Dimitrov, G. Tyuliev, G. Avdeev, K. Jiratova, A. Spojakina, NiMo Catalysts Supported on the Nb Modified Mesoporous SBA–15 and HMS: Effect of Thioglycolic Acid Addition on HDS, *Appl. Catal. A Gen.* 520 (2016) 24–34.
- [23] J.A. Toledo-Antonio, M.A. Cortes-Jacome, J. Escobar-Aguilar, C. Angeles-Chavez, J. Navarrete-Bolanos, E. Lopez-Salinas, Upgrading HDS activity of MoS₂ catalysts by chelating thioglycolic acid to MoO_x supported on alumina, *Appl. Catal. B-Environmental.* 213 (2017) 106–117.
- [24] M.S. Thompson, Preparation of high activity silica-supported hydrotreating catalysts and catalysts thus prepared, EP0181035A2, 1985.
- [25] E. Yamaguchi, Y. Uragami, H. Yokozuka, K. Uekusa, T. Yamaguchi, S. Abe, T. Kamo, T. Suzuki, Hydrotreatment catalysts for hydrocarbons and methods of preparation, EP0601722A1, 1993.

- [26] Y. Uragami, E. Yamaguchi, H. Yokozuka, K. Uekusa, Hydrotreating catalyst: composition, preparation, and use thereof, WO9641848A1, 1995.
- [27] P. Shukis, J. Carruthers, V. Lostagio, High activity catalysts, WO1995031280A1, 1995.
- [28] S. Eijsbouts, M. Jansen, Process for sulphiding a hydrotreating catalyst comprising an organic compound comprising N and carbonyl, EP1043069A1, 2000.
- [29] S. Eijsbouts, F. Wilhelmus, M. Jansen, T. Kamo, F. Lodewijk, Process for regenerating and rejuvenating additive containing catalysts, WO2001002092A1, 2001.
- [30] P. Raybaud, H. Toulhoat, Catalysis by Transition Metal Sulfides: from molecular theory to industrial application, Technip, Paris, France, 2013.
- [31] A. Van Veen, J. R., Gerkema, E., Van der Kraan, A. M., & Knoester, A real support effect on the activity of fully sulphided CoMoS for the hydrodesulphurization of thiophene, J. Chem. Soc., Chem. Comm. 22 (1987) 1684–1686.
- [32] Y. Yoshimura, N. Matsubayashi, T. Sato, H. Shimada, A. Nishijima, Molybdate catalysts prepared by a novel impregnation method - Effect of citric acid as a ligand on the catalytic activities, Appl. Catal. 79 (1991) 145–159. doi:10.1016/0926-860x(91)80001-f.
- [33] M. Sun, D. Nicosia, R. Prins, The effects of fluorine, phosphate and chelating agents on hydrotreating catalysts and catalysis, Catal. Today 86 (2003) 173–189.
- [34] D. Nicosia, R. Prins, The effect of glycol on phosphate-doped CoMo/Al₂O₃ hydrotreating catalysts, J. Catal. 229 (2005) 424–438.
- [35] P. Mazoyer, C. Geantet, F. Diehl, C. Pichon, T.S. Nguyen, M. Lacroix, In situ EXAFS study of the sulfidation of a hydrotreating catalyst doped with a non chelating organic additive, Oil Gas Sci. Technol. D Ifp Energies Nouv. 60 (2005) 791–799. doi:10.2516/ogst:2005056.
- [36] P. Nesterenko, P. Jones, B. Paull, High performance chelation ion

- chromatography, RSC chromatography monographs, 2011.
- [37] N.E. Boland, A.T. Stone, Rates of nickel(II) capture from complexes with NTA, EDDA, and related tetradentate chelating agents by the hexadentate chelating agents EDTA and CDTA: Evidence of a “semijunctive” ligand exchange pathway, *Geochim. Cosmochim. Acta* 212 (2017) 176–195. doi:10.1016/j.gca.2017.06.003.
 - [38] X. Solans, M.F. Altaba, J. Garcia-Oricain, Crystal structures of ethylenediaminetetraacetato metal complexes. V. Structures containing the $[\text{Fe}(\text{C}_{10}\text{H}_{12}\text{N}_2\text{O}_8)(\text{H}_2\text{O})]^-$ anion, *Acta Crystallogr. Sect. C* 40 (1984) 635–638.
 - [39] R.A. Mackay, W. Henderson, Introduction to modern inorganic chemistry, CRC Press, 2002.
 - [40] J.A. Dean, Lange’s Handbook of chemistry, 15th ed., McGRAW-HILL, INC., 1972.
 - [41] K. Bourikas, C. Kordulis, A. Lycourghiotis, The role of the liquid-solid interface in the preparation of supported catalysts, *Catal. Rev. Eng.* 48 (2006) 363–444. doi:10.1080/01614940600962321.
 - [42] L. Van Haandel, G.M. Bremmer, E.J.M. Hensen, T. Weber, The effect of organic additives and phosphoric acid on sulfidation and activity of (Co)Mo/Al₂O₃ hydrodesulfurization catalysts, *J. Catal.* 351 (2017) 95–106. doi:10.1016/j.jcat.2017.04.012.
 - [43] A.J. van Dillen, R.J.A.M. Terorde, D.J. Lensveld, J.W. Geus, K.P. de Jong, Synthesis of supported catalysts by impregnation and drying using aqueous chelated metal complexes, *J. Catal.* 216 (2003) 257–264.
 - [44] J. Chen, F. Mauge, J. El Fallah, L. Oliviero, IR spectroscopy evidence of MoS₂ morphology change by citric acid addition on MoS₂/Al₂O₃ catalysts - A step forward to differentiate the reactivity of M-edge and S-edge, *J. Catal.* 320 (2014) 170–179.
 - [45] N. Rinaldi, T. Kubota, Y. Okamoto, Effect of citric acid addition on the hydrodesulfurization activity of MoO₃/Al₂O₃ catalysts, *Appl. Catal. A-General*

- 374 (2010) 228–236.
- [46] E.J.M. Hensen, P.J. Kooyman, Y. van der Meer, A.M. van der Kraan, V.H.J. de Beer, J.A.R. van Veen, R.A. van Santen, The Relation between Morphology and Hydrotreating Activity for Supported MoS₂ Particles, *J. Catal.* 199 (2001) 224–235.
 - [47] T. Shimizu, K. Hiroshima, T. Honma, T. Mochizuki, M. Yamada, Highly active hydrotreatment catalysts prepared with chelating agents, *Catal. Today* 45 (1998) 271–276. doi:10.1016/S0920-5861(98)00227-2.
 - [48] K. Inamura, K. Uchikawa, S. Matsuda, Y. Akai, Preparation of active HDS catalysts by controlling the dispersion of active species, *Appl. Surf. Sci.* 121–122 (1997) 468–475.
 - [49] M.A. Lélías, P.J. Kooyman, L. Mariey, L. Oliviero, A. Travert, J. Van Gestel, J.A.R. Van Veen, F. Maugé, Effect of NTA addition on the structure and activity of the active phase of cobalt-molybdenum sulfide hydrotreating catalysts, (2009). doi:10.1016/j.jcat.2009.07.006.
 - [50] M.A. Lélías, E. Le Guludec, L. Mariey, J. Van Gestel, A. Travert, L. Oliviero, F. Maugé, Effect of EDTA addition on the structure and activity of the active phase of cobalt-molybdenum sulfide hydrotreatment catalysts, *Catal. Today*. 150 (2010) 179–185. doi:10.1016/j.cattod.2009.07.107.
 - [51] M.S. Rana, J. Ramirez, A. Gutierrez-Alejandre, J. Ancheyta, L. Cedeno, S.K. Maity, Support effects in CoMo hydrodesulfurization catalysts prepared with EDTA as a chelating agent, *J. Catal.* 246 (2007) 100–108. doi:10.1016/j.jcat.2006.11.025.
 - [52] P. Mazoyer, C. Geantet, F. Diehl, S. Loridant, M. Lacroix, Role of chelating agent on the oxidic state of hydrotreating catalysts, *Catal. Today* 130 (2008) 75–79.
 - [53] L. Coulier, V.H.J. de Beer, J.A.R. van Veen, J.W. Niemantsverdriet, On the formation of cobalt-molybdenum sulfides in silica-supported hydrotreating model catalysts, *Top. Catal.* 13 (2000) 99–108. doi:10.1023/a:1009037006529.
 - [54] T. Huang, J. Xu, Y. Fan, Effects of concentration and microstructure of active

- phases on the selective hydrodesulfurization performance of sulfided CoMo/Al₂O₃ catalysts, *Appl. Catal. B-Environmental* 220 (2018) 42–56. doi:10.1016/j.apcatb.2017.08.029.
- [55] L. Peña, D. Valencia, T. Klimova, CoMo/SBA-15 catalysts prepared with EDTA and citric acid and their performance in hydrodesulfurization of dibenzothiophene, *Appl. Catal. B Environ.* 147 (2014) 879–887. doi:10.1016/j.apcatb.2013.10.019.
- [56] S.L. González-Cortés, Y. Qian, H.A. Almegren, T. Xiao, V.L. Kuznetsov, P.P. Edwards, Citric acid-assisted synthesis of γ -alumina-supported high loading CoMo sulfide catalysts for the hydrodesulfurization (HDS) and hydrodenitrogenation (HDN) reactions, *Appl. Petrochemical Res.* 5 (2015) 181–197. doi:10.1007/s13203-015-0097-y.
- [57] A. Pimerzin, A. Mozhaev, A. Varakin, K. Maslakov, P. Nikulshin, Comparison of citric acid and glycol effects on the state of active phase species and catalytic properties of CoPMo/Al₂O₃ hydrotreating catalysts, *Appl. Catal. B-Environmental* 205 (2017) 93–103. doi:10.1016/j.apcatb.2016.12.022.
- [58] Y. Zhang, W. Han, X. Long, H. Nie, Redispersion effects of citric acid on CoMo/ γ -Al₂O₃ hydrodesulfurization catalysts, *Catal. Commun.* 82 (2016) 20–23.
- [59] K. Kobayashi, M. Nagai, Active sites of sulfided NiMo/Al₂O₃ catalysts for 4,6-dimethyldibenzothiophene hydrodesulfurization-effects of Ni and Mo components, sulfidation, citric acid and phosphate addition, *Catal. Today* 292 (2017) 74–83. doi:10.1016/j.cattod.2017.01.040.
- [60] J. Escobar, M.C. Barrera, A.W. Gutierrez, J.E. Terrazas, Benzothiophene hydrodesulfurization over NiMo/alumina catalysts modified by citric acid. Effect of addition stage of organic modifier, *Fuel Process. Technol.* 156 (2017) 33–42.
- [61] V.A. Suárez-Toriello, C.E. Santolalla-Vargas, J.A. De Los Reyes, A. Vázquez-Zavala, M. Vrinat, C. Geantet, Influence of the solution pH in impregnation with citric acid and activity of Ni/W/Al₂O₃ catalysts, *Journal Mol. Catal. A, Chem.* 404–405 (2015) 36–46. doi:10.1016/j.molcata.2015.04.005.

- [62] H. Li, M. Li, Y. Chu, F. Liu, H. Nie, Essential role of citric acid in preparation of efficient NiW/Al₂O₃ HDS catalysts, *Appl. Catal. A Gen.* 403 (2011) 75–82. doi:10.1016/j.apcata.2011.06.015.
- [63] M.A. Lelias, J. van Gestel, F. Mauge, J.A.R. van Veen, Effect of NTA addition on the formation, structure and activity of the active phase of cobalt-molybdenum sulfide hydrotreating catalysts, *Catal. Today* 130 (2008) 109–116.
- [64] A.M. de Jong, V.H.J. de Beer, J.A.R. van Veen, J.W. Niemantsverdriet, Surface Science Model of a Working Cobalt-Promoted Molybdenum Sulfide Hydrodesulfurization Catalyst: Characterization and Reactivity, *J. Phys. Chem.* 100 (1996) 17722–17724.
- [65] Y. Ohta, T. Shimizu, T. Honma, M. Yamada, Effect of chelating agents on HDS and aromatic hydrogenation over CoMo- and NiW/Al₂O₃, *Stud. Surf. Sci. Catal.* 127 (1999) 161–168.
- [66] T. Fujikawa, H. Kimura, K. Kiriya, K. Hagiwara, Development of ultra-deep HDS catalyst for production of clean diesel fuels, *Catal. Today* 111 (2006) 188–193.
- [67] J.A. Bergwerff, T. Visser, B.R.G. Leliveld, B.D. Rossenaar, K.P. de Jong, B.M. Weckhuysen, Envisaging the physicochemical processes during the preparation of supported catalysts: Raman microscopy on the impregnation of Mo onto Al₂O₃ extrudates, *J. Am. Chem. Soc.* 126 (2004) 14548–14556. doi:10.1021/ja040107c.
- [68] J.A.R. van Veen, H.A. Colijn, P.A.J.M. Hendriks, A.J. van Welsenes, On the formation of type I and type II NiMoS phases in NiMo/Al₂O₃ hydrotreating catalysts and its catalytic implications, *Fuel Process. Technol.* 35 (1993) 137–157.
- [69] R. Cattaneo, T. Shido, R. Prins, The Relationship between the Structure of NiMo/SiO₂ Catalyst Precursors Prepared in the Presence of Chelating Ligands and the Hydrodesulfurization Activity of the Final Sulfided Catalysts, *J. Catal.* 185 (1999) 199–212.
- [70] R. Cattaneo, T. Shido, R. Prins, A XANES temperature-programmed

- sulphidation study of modified NiMo/SiO₂ hydrotreating catalysts, *Stud. Surf. Sci. Catal.* 127 (1999) 421–425.
- [71] L. Medici, R. Prins, The Influence of Chelating Ligands on the Sulfidation of Ni and Mo in NiMo/SiO₂ Hydrotreating Catalysts, *J. Catal.* 163 (1996) 38–49.
- [72] L. Medici, R. Prins, Structure of Oxidic NiMo/SiO₂ Hydrotreating Catalyst Precursors, *J. Catal.* 163 (1996) 28–37.
- [73] R. Cattaneo, F. Rota, R. Prins, An XAFS Study of the Different Influence of Chelating Ligands on the HDN and HDS of [gamma]-Al₂O₃-Supported NiMo Catalysts, *J. Catal.* 199 (2001) 318–327.
- [74] G. Kishan, L. Coulier, V.H.J. de Beer, J.A.R. van Veen, J.W. Niemantsverdriet, Sulfidation and thiophene hydrodesulfurization activity of nickel tungsten sulfide model catalysts, prepared without and with chelating agents, *J. Catal.* 196 (2000) 180–189. doi:10.1006/jcat.2000.3013.
- [75] G. Kishan, L. Coulier, V.H.J. De Beer, J.A.R. van Veen, J.W. Niemantsverdriet, Preparation of highly active NiW hydrotreating model catalysts with 1,2-cyclohexanediamine-N,N,NANA-tetraacetic acid (CyDTA) as a chelating agent, *Chem. Commun.* (2000) 1103–1104.
- [76] G. Kishan, L. Coulier, J.A.R. van Veen, J.W. Niemantsverdriet, Promoting synergy in CoW sulfide hydrotreating catalysts by chelating agents, *J. Catal.* 200 (2001) 194–196. doi:10.1006/jcat.2001.3203.
- [77] P. Blanchard, C. Mauchausse, E. Payen, J. Grimblot, O. Poulet, N. Boisdron, R. Loutaty, Preparation and characterization of CoMo/Al₂O₃ HDS catalysts: Effects of a complexing agent, *Stud. Surf. Sci. Catal.* 91 (1995) 1037–1049.
- [78] Roles d'additifs organiques sur des catalyseurs d'hydrotraitement, Université Claude Bernard - Lyon 1, 2003.
- [79] O. V. Klimov, A. V. Pashigreva, G.A. Bukhtiyarova, S. V. Budukva, M.A. Fedotov, D.I. Kochubey, Y.A. Chesalov, V.I. Zaikovskii, A.S. Noskov, Bimetallic Co–Mo complexes: A starting material for high active hydrodesulfurization catalysts, *Catal. Today* 150 (2010) 196–206.

- [80] B. Ngoc-Quynh, C. Geantet, G. Berhault, Maleic acid, an efficient additive for the activation of regenerated CoMo/Al₂O₃ hydrotreating catalysts, *J. Catal.* 330 (2015) 374–386.
- [81] J. Chen, J. Mi, K. Li, X. Wang, E.D. Garcia, Y. Cao, L. Jiang, L. Oliviero, F. Mauge, Role of Citric Acid in Preparing Highly Active CoMo/Al₂O₃ Catalyst: From Aqueous Impregnation Solution to Active Site Formation, *Ind. Eng. Chem. Res.* 56 (2017) 14172–14181. doi:10.1021/acs.iecr.7b02877.
- [82] K.A. Leonova, O. V. Klimov, D.I. Kochubey, Y.A. Chesalov, E.Y. Gerasimov, I.P. Prosvirin, A.S. Noskov, Optimal pretreatment conditions for Co–Mo hydrotreatment catalysts prepared using ethylenediamine as a chelating agent, *Catal. Today* 220–222 (2014) 327–336.
- [83] D. Nicosia, R. Prins, The effect of phosphate and glycol on the sulfidation mechanism of CoMo/Al₂O₃ hydrotreating catalysts: an in situ QEXAFS study, *J. Catal.* 231 (2005) 259–268.
- [84] V. Costa, K. Marchand, M. Digne, C. Geantet, New insights into the role of glycol-based additives in the improvement of hydrotreatment catalyst performances, *Catal. Today* 130 (2008) 69–74.
- [85] T.S. Nguyen, S. Loridant, C. Lorentz, T. Cholley, C. Geantet, Effect of Glycol on the Formation of Active Species and Sulfidation Mechanism of CoMoP/Al₂O₃, *Appl. Catal. B Environ.* 107 (2011) 59–67.
- [86] V. Costa, Compréhension du rôle des additifs du type glycol sur l'amélioration des performances des catalyseurs d'hydrotraitement, Université de Lyon 1, 2008.
- [87] V. Costa, B. Guichard, M. Digne, C. Legens, P. Lecour, K. Marchand, P. Raybaud, E. Krebs, C. Geantet, A rational interpretation of improved catalytic performances of additive-impregnated dried CoMo hydrotreating catalysts: a combined theoretical and experimental study, *Catal. Sci. Technol.* 3 (2013) 140–151.
- [88] J. Escobar, M.C. Barrera, J.A. Toledo, M.A. Cortes-Jacome, C. Angeles-Chavez, S. Nunez, V. Santes, E. Gomez, L. Diaz, E. Romero, J.G. Pacheco, Effect of

- ethyleneglycol addition on the properties of P-doped NiMo/Al₂O₃ HDS Catalysts: part I. Materials preparation and characterization, *Appl. Catal. B Environ.* 88 (2009) 564–575.
- [89] R. Iwamoto, N. Kagami, Y. Sakoda, A. Iino, Effect of Polyethylene Glycol Addition on NiO-MoO₃/Al₂O₃ and NiO-MoO₃-P₂O₅/Al₂O₃ Hydrodesulfurization Catalyst, *J. Japan Pet. Inst.* 48 (2005) 351–357. doi:10.1627/jpi.48.351.
- [90] J. Escobar, A.W. Gutierrez, M.C. Barrera, J.A. Colin, NiMo/alumina hydrodesulphurization catalyst modified by saccharose: Effect of addition stage of organic modifier, *Can. J. Chem. Eng.* 94 (2016) 66–74.
- [91] J. Escobar, M.C. Barrera, A.W. Gutierrez, M.A. Cortes-Jacome, C. Angeles-Chavez, J.A. Toledo, D.A. Solis-Casados, Highly active P-doped sulfided NiMo/alumina HDS catalysts from Mo-blue by using saccharose as reducing agents precursor, *Appl. Catal. B Environ.* 237 (2018) 708–720.
- [92] K. Singh, S. Mohan, Kinetic studies of the sucrose adsorption onto an alumina interface, *Appl. Surf. Sci.* 221 (2011) 308–318.
- [93] J.J. Wu, L. Zhang, Y. Wang, Y.H. Long, H. Gao, X.L. Zhang, N. Zhao, Y.L. Cai, J. Xu, Mussel-inspired chemistry for robust and surface-modifiable multilayer films, *Langmuir* 27 (2011) 13684–13691.
- [94] C.Y. Zhao, J.H. Kong, L.P. Yang, X.Y. Yao, S.L. Phua, X.H. Lua, The dopamine–Mo VI complexation-assisted large-scale aqueous synthesis of a single-layer MoS₂/carbon sandwich structure for ultrafast, long-life lithium-ion batteries, *Chem. Commun.* 50 (2014) 9672–9675. doi:10.1039/C4CC04099F.
- [95] R. Munirathiam, D. Laurenti, G.D. Pirngruber, D. Uzio, Efficient CoMoS catalysts supported on bio-inspired polymer coated alumina for hydrotreating reactions, *Chemistryselect.* 2 (2017) 2373–2382.
- [96] D. Laurenti, R. Munirathiam, G.D. Pirngruber, D. Uzio, Catecholamine-based catalyst and use thereof in a hydroprocessing and/or hydrocracking method, WO2017167522A1, 2017.